

# Index

## A

Aanloopkleur/striking 78.  
Airbrush 120, 129, 136, 139-144, 226, 270, 280, 282, 305.  
Afsprong 147.  
Afzoeten 187, 197.  
Alginaat 199.  
Annealing/ temperen 70, 86, 100, 104, 108-110.  
Annealpunten 108.  
Antiek glas 29, 73.  
Aluminiumhydraat 115.  
Art Déco 33.  
Art Nouveau 32, 33.  
Artista 72-73, 75, 81, 108, 120, 132, 154-155, 157, 202, 296, 303.

## B

Bakpoeder 128, 155.  
Bandslijpmachine 261, 265.  
Baoli 72.  
Batch/ gemeng 12, 125.  
Bellen pauze/ bubble squeeze 86-87, 111, 148.  
Beloxide 126-128, 171, 350.  
Bentrup 111.  
Bergkristal 8, 9, 11.  
Bims/ puimsteenpoeder 196, 222, 262-263, 272.  
Binnenmal 23, 181-182, 208.  
Blaaspijp 10, 14, 18-19, 25-26, 40-41, 46, 69.  
Blank 21, 29, 71-72, 75, 79, 82-83, 130, 143, 148, 183, 189-191, 198, 224, 290, 296-298, 300, 303, 306.  
Boiling/ koken 155.  
Boren 56-57, 59-60, 70, 106, 159, 170-171, 178, 229, 239, 241, 244, 247, 252, 255-258, 278, 289.  
Borax 79, 84, 118, 149.  
Boron Nitride/ Boron Nitriet Coating 115-116, 169.  
Borosilicaat 12-13, 111, 215, 295.  
Brandschilderen 33, 36, 68, 88-89, 127, 134, 138-139, 157.  
Brandblusser 305.  
Breektang 59, 62-66, 238.  
Breuk 56-57, 59, 62-66, 75, 96, 101-102, 113, 126, 160, 177, 187, 210, 237-238, 275, 303.  
Brug 134-135, 137, 143, 269.  
Bullseye 25, 36, 52, 71-73, 75, 81-83, 85-86, 93, 100, 102, 107-108, 114-115, 118-120, 123, 126, 131-132, 149, 152-155, 157-158, 165, 170-171, 173, 188-

189, 202, 211-212, 296-298, 300.

## C

Carborundum 165, 244, 250, 259, 263-264, 266, 280-283.  
Castalot 165.  
Casting 72, 87, 171, 180, 189, 297, 299.  
Ceraboard 167, 172, 296.  
Ceramiek 111, 125, 146, 156, 160-161, 169, 171, 174, 177, 184, 195, 201-202, 210, 227, 246, 289, 301.  
Ceramisch vezelmateriaal/ ceramisch vilt 89, 92, 94, 96, 114, 122, 131, 155, 158-161, 163, 165-167, 179, 202, 219.  
Ceriumoxide 222, 245, 249, 262-263, 267, 272, 281.  
Cilinderglas 25, 27, 29.  
Cirkelsnijder/ rondslijder 58, 64, 66.  
COE/ uitzettingscoëfficiënt 10, 71-73, 75-78, 81, 86-87, 108, 125-126, 132-133, 148, 152, 160, 172, 221, 296.  
Combing/ kammen 68, 87, 91, 155-156.  
Compatibel/ compatible 36, 71-72, 74-78, 80-81, 93, 98-99, 102, 104, 108, 119, 130, 133, 150, 189, 196, 210, 296, 300.  
Compressor 117, 120, 142-143, 146, 253-254, 282, 305.  
Colourshaper 135-136.  
Confetti 72, 74, 125, 130, 297.  
Contourverf 136-137.  
Corning 37, 307, 341, 345.  
Crash cooling/ stortkoelen 70, 93, 100, 102, 158, 177, 202, 208.  
Contourverf 136-137.  
Cullet 13, 73, 189, 297.

## D

Devit/ rekristalisatie 78-80, 86, 101-102, 118-119, 212.  
Dekseloven 90-91, 214, 300.  
Deuroven 89, 91.  
Dichroic 24, 72-73, 284, 300.  
Diatreet 22-24.  
Doodstoken mal/ droogstoken mal 114, 188-189.  
Drippings 171-172.  
Droogkamer 188.  
Droogstoken ovenplaat 117.

## E

Emaillie 32-33, 39, 77, 86, 125, 127.  
Emulsie 144, 146, 286-287.  
Epoxy 226-228, 231, 308.  
Etspasta 145-146.

Equilibrium 80, 84, 166.

## F

Fabrieksglas 44, 73-74, 79.  
Facecoat 184, 187, 197, 348.  
Fibrefrac 165.  
Figuro 72, 132.  
Figuurglas 28-29, 44, 74-75, 79-80, 119, 130, 296.  
Fritten 79, 120, 125, 189.  
Flint 163, 185-187, 348.  
Floatglas 28, 31, 42, 44, 61, 65-66, 73-75, 79-80, 82, 84-85, 100, 108, 115, 119, 122, 124, 126, 129-130, 132, 141, 148, 153, 157, 166, 170, 178, 189, 202, 221, 229-250, 256, 271, 293, 303, 350-351.  
Frontloader/ deuroven 89, 91.  
Fulguriet 8.  
Full fuse/ volledig versmelten 87, 119, 130, 154, 166, 290.  
Fusing 36, 38, 40-41, 43-45, 49, 68-69, 71, 78-79, 82, 86, 89-91, 114-115, 127, 131-133, 139, 153, 166, 177, 180, 190-191, 234, 275, 284, 298.

## G

Gaas 28, 75, 144-146, 148, 150, 168, 171-173, 244.  
Gelflex 200.  
Gemeng/ batch 12, 125.  
Gezichtskralen 16.  
Gips 23, 55, 122, 124, 127, 150, 155, 158, 161-163, 184-176, 192-197, 198-202, 205, 209.  
Gipsmassa 55, 95, 102, 161-163, 175, 180, 182, 184-187, 191-198, 200-201, 219, 346.  
Glasaardewerk 23.  
Glaskeramiek 12, 94.  
GlasClay/ glasklei 152.  
Glasblazen 10, 12-13, 18, 25, 37-40, 46-47, 68-69, 131, 284, 307.  
Glasfabriek Leerdam 33-35, 38, 41, 46-47.  
Glas-in-lood 29-30, 32-34, 134, 138, 234-236, 275, 296, 304, 308.  
Glaskorrels 72, 74, 98, 125, 130-131, 191, 204-205.  
Glassnijder 56-64, 196, 237-238, 301.  
Glazenmakerszeep 21.  
Glazuurspuit 117, 143, 305.  
Glow in the dark 126, 130, 191.  
Graham Stone 80, 84, 93, 100.  
Grisaille 125, 127, 134-139.  
Gritstralen zie zandstralen.  
Gulden snede 290, 291.

## H

Halffabriekaat 14, 46.  
Handschoenen 52-55, 101, 118, 123, 127, 135, 146, 156, 167, 190, 196, 200, 202, 205, 214, 219-220, 223, 228, 232, 242, 278, 282-283, 287, 298-300.  
Hangend vervormen 173.  
Hard glas 29-30.  
Hitteschok/ thermische schok 86, 99-100, 190, 202, 215, 301.  
Hobbylijm 132.  
Hotpot 298-299.  
Hydracast 163, 194.

## I

Inslippen 246-247, 280.  
Isolatie 88-90, 179, 214.

## J

Jean Cousin 134, 137-138.

## K

Kalk 8-9, 11, 13-14, 21, 79.  
Kammen/ combing 68, 87, 91, 155-156.  
Kaolien 54, 79, 115, 163, 165, 197, 346.  
Kanthaldraad 89, 96, 150, 168, 173.  
Klaren 9.  
Keien 18, 40, 284.  
Kevlar 53, 214.  
Kit/ kitspuit 218, 221-223, 229, 231.  
Klei 10, 14, 174-177, 198, 202, 204-205, 209.  
Kleurcode 244-245, 254.  
Kleuromslag 78.  
Kleuringsmiddel 9, 21, 190.  
Koelvloeistof 266, 274, 276.  
Koken/ boiling 87, 155.  
Koper 10, 24, 36, 44, 64, 75, 83, 128, 148-152, 160, 168, 170, 172-173, 191, 194, 222-223, 234-236, 264, 296, 299-300.  
Koperfolie 44, 149, 234-236.  
Korrelbed 161-162.  
Kristallen 8-9, 12, 70, 74, 79, 85-86, 101, 118, 195, 202, 212, 246.  
Krijt 79, 114, 122, 124, 126, 13, 137, 244, 257, 259, 264.  
Kwarts 8-10, 12, 55, 79, 88, 91, 96, 158, 163, 185-187, 197, 214, 217-219.

## L

Lood 10-11, 13, 24, 25, 28, 42, 67, 119, 127, 134-135, 168, 217-219, 222, 274,

304.  
Loper 137, 251.  
Louteringsmiddel 9.  
Luchtinsluitingen 131, 155, 228-232.  
Luchtkanaal 194.  
Luster 32-33, 54, 78, 82, 88, 91, 119, 126, 128-129, 284, 300.  
Lycurgus beker 24, 343.  
Lijm, twee-componenten 221, 226-227, 231.  
Lijm, kitten 218, 221-222, 229.  
Lijm, tijdelijke 131-132.  
Lijm, u.v. 74, 221-226, 229-232, 293.

## M

Mica 118, 126, 129-130, 191, 346, 350.  
Microprocessor 93.  
Millefiori 16, 73.  
Model 69, 123, 139, 150, 159, 161-162, 171, 174, 176, 180-187, 192-200, 213, 222, 299.  
Modelklei 255-256.  
Moedermal 162, 193, 198, 200.  
Moist-pack 167.  
Mould Mix 6 164.  
MSDS 217.  
MS Polymeren 222.  
Murano 20, 46.  
Murrini 16-17, 40.

## N

Neon 13.  
Nitrilrubber 228.

## O

Obsidiaan 8-9, 22.  
Opaak 21, 29, 66, 78-79, 81, 130, 183, 224, 265, 297.  
Opbollingsverschijnselen 211.  
Oppervlaktespanning 82, 84, 86-87, 123, 270.  
Optisch glas 11, 31, 49, 72, 239.  
Ossenoog 25.  
Ovenpapier, Thinfire 55, 94, 156, 165-166.  
Ovenplaat 94-96, 99.  
Ovenplaatbeschermer/ separator 94, 114-116, 121-122, 126, 131, 140, 149, 153-154, 156, 160, 165-166, 168-169, 172, 174, 177-178, 201, 283, 299.  
Overglaze 79-80, 97, 118-121, 128, 131, 140-141, 143, 149, 154, 191, 212, 219, 285.  
Oxiden 9, 20-21, 36, 48, 70, 104, 125, 126-128, 190, 216, 301.

## P

Palladium 128, 149, 300.  
Papierklei 175.  
Pâte de verre 32, 36, 49, 180, 183, 204-208, 346.  
Pellet 12-13.  
Plaqué 75.  
Polaroids/ polariserende filters 76.  
Polijsten 43, 49, 54, 69, 119, 153, 180, 222, 239, 242, 249, 252-253, 259, 261-263, 266-267, 270, 272, 274, 280-281, 289, 304.  
Portland Vase 22-23, 343.  
Puimsteenpoeder/ bims 196, 222, 262-263, 272.  
PV Nucleus 164.  
Pyrometer 92-93, 102, 107-108, 203, 211.

## R

Radgravure 24.  
Rakel 144, 146-147.  
Reactief glas 296.  
Recycling 9.  
Rekristalisatie/ devit 78-80, 86, 101-102, 118-119, 212.  
Reliëf 19, 23, 64-65, 75, 84, 87, 114, 117, 119, 122-124, 143, 153-155, 166, 170, 256, 265, 283, 290, 302.  
Repentechniek 155.  
Ribkom 17.  
Rietveld 38-39, 47, 345, 348.  
Rondsnijder/ cirkelsnijder 58-59, 257.  
Rubberlatex 200.  
RVS 123, 137, 148, 168-170, 213, 299.

## S

Schilmal 182, 194, 197, 201, 182, 205.  
Separator/ ovenplaatbeschermer 94, 114-116, 121-122, 126, 131, 140, 149, 153-154, 156, 160, 165-166, 168-169, 172, 174, 177-178, 201, 283, 299.  
Siliconenkit 221-222, 231.  
Siliconenrubber 199, 222, 227.  
Slieter 58.  
Slijpbok 252, 259-265.  
Slijpkop 275.  
Slijppoeder 24, 249-251, 264, 270, 272.  
Smeltpuntverlager 9, 10, 20, 79, 127.  
Snedes 63-65, 124, 190, 237, 251, 290, 301.  
Snijolie 56, 58, 61.  
Soda 8-11, 14, 20, 84, 151, 202, 215-216.  
Spanningsmeter 76.

Spectrum 72-73, 108-110, 149, 215, 296.  
Spiegelglas 26, 222.  
Sporen 101, 122, 124, 131, 157-158, 161, 189.  
Spuitcabine 120, 127, 142, 219.  
Spuitstift 132.  
Stabilisator 9.  
Stookboek/ protocol 98, 102, 113, 208-210, 349.  
Stookcurve/ stookgrafiek 161, 177.  
Stookcomputer 111-113, 213, 305.  
Stookschema 80, 85, 93, 97-98, 100, 109-111, 126, 169.  
Stortkoelen/ crash cooling 70, 93, 100, 102, 158, 177, 202, 208.  
Studioglas 36-40, 68, 71, 119, 307.  
Strainpunt 70, 104, 107-110, 203.  
Stressometer 76-77, 81, 106, 126, 148, 210, 240.  
Striking/ aanloopkleur 78.  
Stringer 72, 74, 77, 81, 126, 130, 146, 151, 155, 297, 300.  
Stringeroven 300, 344.  
Strokensnijder 58.  
System 96 72-73, 102, 108-109, 120, 132, 154, 173, 189, 296.

## T

Tackfuse 153-154, 350.  
Talk/ talkpoeder 204, 208-209, 346.  
Tamponneren 137.  
Technisch stabiel versmelten 70, 81-82, 86, 113, 119-120, 131, 153, 302, 350.  
Tektiet 8.  
Temperen/ annealing 70, 86, 100, 104, 108-110.  
Thermische schok/ hitteschok 86, 99-100, 190, 202, 215, 301.  
Thermokoppel 92.  
Testen 75-78, 81, 119, 124-127, 130, 133, 138, 154, 206, 295-296, 303.  
Thinfire, ovenpapier 55, 94, 156, 165-166.  
Tiffany 32-33, 36, 61, 73, 79, 234-236, 275.  
Tikken 22, 63-64, 66, 237-238.  
Tinkant 79-80, 129, 149, 211, 302.  
Twee-componentenlijm 221, 226-227, 231.  
Tijdelijke lijm 131.

## U

Überfang 75.  
Uitzettingscoëfficiënt/ COE 71-72, 75-78, 81, 86-87, 108, 125-126, 132-133,

148, 152, 160, 172, 221, 296.  
U.v. lijm 74, 221-226, 229-232, 293.

## V

Veiligheidsbril 53-54, 63, 190, 214, 223, 257, 261.  
Veiligheidsglas 29, 75.  
Venetië 20, 24, 30, 46, 308.  
Verf 76, 79-80, 82, 86, 97, 101, 119-120, 125-130, 133-147, 149, 151, 190, 210-212, 219-220, 223, 260, 283-285.  
Verloren was 36, 48, 69, 181, 193, 193, 347-348.  
Vlakslijpmachine 250, 269-272, 276.  
Vlampolijsten 86, 101, 153, 212.  
Volledig versmelten/ full fuse 87, 119, 130, 154, 166, 290.  
Volumecontrole 82.  
Vormgeblazen 19.  
Viscositeit 70, 81, 84-85, 87, 130, 227-228.

## W

Waldglas 20.  
Walsglas 28.  
Waterglas 9, 151, 161, 163, 166.  
Waterpas 87, 124, 159, 201, 207, 227-228, 232-233, 269, 271, 303.  
Watersnijtechniek 289.  
Watervriendelijk medium 136, 140.  
Was(model) 36, 48, 69, 181, 150, 162, 192-195, 199-200, 202, 347-348.  
Wielgravure 264.

## Z

Zagen 124, 166, 237-238, 241, 244, 246-248, 252-253, 256, 276-279, 299.  
Zand 8-11, 14-15, 21, 25, 39, 73, 95, 114, 122-123, 207, 209, 299.  
Zandgieten 40, 299.  
Zandkerntechniek 15-16, 18, 30.  
Zandstralen 40, 43-46, 48, 99, 120, 130, 143, 229, 282-284, 286-289, 302-304.  
Zeefdruk 144-147.  
Zilvergeel 134, 137-138.  
Zilverklei 151-152.